

ORAL

JATENZO®
(testosterone undecanoate)
Capsules 

3 IMPORTANT THINGS TO KNOW BEFORE STARTING or SWITCHING to ORAL TESTOSTERONE



Prescribed Oral

TRT

3 YEARS IN A ROW *



TRT = testosterone replacement therapy

*Based on IQVIA Data, Jan 2023 to Dec 2025. Data on File. Tolmar Inc.; 2026.

Capsules and bottle are not actual size throughout.

IMPORTANT SAFETY INFORMATION

What is JATENZO? JATENZO® (testosterone undecanoate) capsules are prescribed to adult men for testosterone replacement therapy when they have a deficiency or absence of their natural testosterone due to structural or genetic causes.

Safety and efficacy of JATENZO in men with low testosterone due to age and in boys less than 18 years old have not been established. JATENZO is a controlled substance, CIII, due to risk for physical and psychological dependence and abuse.

See inside for additional Important Safety Information and full Prescribing Information in pocket or visit [Jatenzo.com](https://www.jatenzo.com).

1 CONVENIENT

ORAL JATENZO® OFFERS FLEXIBILITY THAT MEETS YOUR NEEDS.¹⁻⁷

ORAL JATENZO® (testosterone undecanoate) Capsules Ⓢ	JATENZO 	Intramuscular Injection 	Gel 
Taken orally	✓	✗	✗
No extra travel hassles	✓	✗	✗
Consistent dosing and application	✓	✗	✗
No skin or injection site reactions	✓	✗	✗
No mess or transference concerns	✓	✓	✗
Doctor can adjust dose in as little as 8 days ¹	✓	✗	✗
No in-office administration or injection training ⁴	✓	✗	✓
No needles ⁵	✓	✗	✓
Daily management of testosterone levels ^{1,6}	✓	✗	✓

DID YOU KNOW

66% of patients switched their TRT in a year, according to physicians⁷

IMPORTANT SAFETY INFORMATION (continued)

Who should not take JATENZO?

JATENZO should not be used in men with breast cancer or known or suspected prostate cancer, in women who are pregnant, or in men who are over-sensitive to JATENZO or its ingredients.

What side effects should I be aware of before starting JATENZO?

Elevated red blood cell counts. This may increase the risk of blood clots, strokes, and heart attacks.


Blood clots. Blood clots in the legs that may travel to the lungs have been reported in patients using testosterone replacement products.

Enlarged prostate. If you already have an enlarged prostate, your signs and symptoms may worsen.

2 SAFE

UNLIKE OLDER FORMS OF ORAL TESTOSTERONE, JATENZO IS SAFE FOR YOUR LIVER.^{8,9}

JATENZO is a newer form of oral testosterone specifically designed to be safely delivered to your blood stream without going through your liver first.^{8,9}



IMPORTANT SAFETY INFORMATION (continued)

Prostate cancer. Patients taking testosterone may be at increased risk for prostate cancer. **See additional Important Safety Information on next page and full Prescribing Information in pocket or visit Jatenzo.com.**

ORAL JATENZO®
(testosterone undecanoate)
Capsules Ⓢ

LEARN MORE [Jatenzo.com](https://www.Jatenzo.com)

3 IMPROVED OUTCOMES >>>

PATIENT REPORTED OUTCOMES

Men taking oral JATENZO reported improvements as a result of increased testosterone levels.

Psychosexual Daily Questionnaire (PDQ) *8,10

Positive Sexual Mood ↑ INCREASE

Sexual Desire ↑ INCREASE

Sexual Enjoyment With Partner ↑ INCREASE

Sexual Enjoyment Without Partner ↑ INCREASE

Weekly Sexual Activity ↑ INCREASE

*The PDQ was an exploratory assessment of each participant's view of his psychosexual satisfaction, evaluated by self-report. Sexual desire, sexual enjoyment, positive mood, and negative mood, were evaluated on a 7-point scale. Weekly sexual activity was determined using a count of the activities experienced over the complete weekly period.

IMPORTANT SAFETY INFORMATION (continued)

Increase in blood pressure. JATENZO can increase blood pressure. JATENZO may need to be stopped if your blood pressure cannot be controlled. Your healthcare provider should monitor your blood pressure while you are being treated with JATENZO.

Abuse. Testosterone has been subject to abuse, typically at doses higher than recommended. Testosterone abuse can lead to serious cardiovascular and psychiatric side effects, including depression and suicidal ideas.

Low sperm count. Large doses of testosterone products may suppress sperm production.

Liver problems. JATENZO is not known to cause liver side effects; however, report any signs of liver problems to your doctor.

CLINICAL OUTCOMES

JATENZO® RAISED TESTOSTERONE LEVELS TO THE NORMAL RANGE IN 87.3% OF MEN.⁶

PATIENT REPORTED OUTCOMES

Men taking oral JATENZO also reported improvements in lean body mass.⁹

Lean Body Mass ↑ INCREASE

Fat Mass ↓ DECREASE

The most common side effects of JATENZO are increased red blood cell count, diarrhea, indigestion, burping, swelling of the leg or foot, nausea, enlarged prostate gland, high blood pressure, and headache.¹ See Important Safety Information.

IMPORTANT SAFETY INFORMATION (continued)

Swelling of your ankles, feet, or body (edema).

Enlarged or painful breasts.

Sleep apnea. Testosterone may worsen sleep apnea, especially with risk factors such as excess body fat or chronic lung conditions.

Changes in lipid levels. Lipid changes may require dose adjustment of your cholesterol medication or stopping testosterone treatment.

Changes in mood. Talk to your healthcare provider if you have changes in mood or behavior including, new or worsening depression, or suicidal thoughts. **See additional Important Safety Information on next page and full Prescribing Information in pocket or visit Jatenzo.com.**

ORAL

JATENZO®
(testosterone undecanoate)
Capsules

LEARN MORE Jatenzo.com

IMPORTANT SAFETY INFORMATION (continued)

What are the most common side effects with JATENZO?

The most common side effects of JATENZO are increased red blood cell count, diarrhea, indigestion, burping, swelling of the leg or foot, nausea, enlarged prostate gland, high blood pressure, and headache.

What medications should I tell my doctor that I am taking before starting JATENZO?

Tell your healthcare provider about all medications that you are taking prior to starting JATENZO, including prescription, over the counter medicines, vitamins, and supplements. Ensure that you notify your provider if you take insulin, blood-thinning medications, corticosteroids, or common pain or cold medicines.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see full Prescribing Information, including Medication Guide in pocket or visit [Jatenzo.com](https://www.jatenzo.com).

REFERENCES: **1.** JATENZO (testosterone undecanoate) capsules, for oral use CIII [package insert]. Fort Collins, CO: Tolmar, Inc.; 2025. **2.** Shoskes JJ, Wilson MK, Spinner ML. Pharmacology of testosterone replacement therapy preparations. *Transl Androl Urol*. 2016;5(6):834-843. **3.** Petering RC, Brooks, NA. Testosterone therapy: review of clinical applications. *Am Fam Physician*. 2017;96(7):441-449. **4.** Figueiredo MG, Gagliano-Juca T, Basaria S. Testosterone therapy with subcutaneous injections: A safe, practical, and reasonable option. *J Clin Endocrinol Metab*. 2022;107(3):614-626. **5.** Dobs AS, Meikle AW, Arver S, et al., Pharmacokinetics, Efficacy, and Safety of a Permeation Enhanced Testosterone Transdermal System in Comparison with Bi-Weekly Injections of Testosterone Enanthate for the Treatment of Hypogonadal Men. *J Clin Endo & Met*. 1999;84(10):3469-3478. **6.** Data on file. Clinical study report: CLAR-15012. Tolmar, Inc. **7.** Data on file. The Landmark SERMO survey: The state of TRT in 2024. (conducted February 16-March 1, 2024). Tolmar, Inc. **8.** Swerdloff RS, Wang C, White WB, et al. A new oral testosterone undecanoate formulation restores testosterone to normal concentrations in hypogonadal men. *J Clin Endocrinol Metab*. 2020;105(8):2515-2531. **9.** Swerdloff RS, Rudley RE. A new oral testosterone undecanoate therapy comes of age for the treatment of hypogonadal men. *Ther Adv Urol*. 2020;12:1-16. **10.** Honig S, Gittelman M, et al. Two-Year Analysis of a New Oral Testosterone Undecanoate (TU) Formulation in Hypogonadal Men: Efficacy, Impact on Psychosexual Function, and Safety. *J Sex Med*. 2022;19(12):1750-1758.

*COPAY TERMS, CONDITIONS & RESTRICTIONS

With the JATENZO® Copay Card, eligible patients with commercial insurance may pay as little as \$0 for their monthly prescription. Copay assistance will cover up to \$393 for a 1-month supply of JATENZO 237 mg. Eligible commercial insurance patients whose prescription coverage was denied, may elect to purchase a 1-month supply of JATENZO through a contracted network pharmacy for \$150. Cash patients, and those who choose not to use insurance, can purchase a 1-month supply of JATENZO for \$185. This offer is not valid for government insured patients. A valid Prescriber ID# is required on the prescription.

Patient Instructions: To redeem this offer, you must have a valid prescription for JATENZO. Follow the dosage instructions given by the doctor. This offer may not be redeemed for cash. By using this offer, you are certifying that you meet the eligibility criteria and will comply with the terms and conditions described in the Restrictions section below. Patients with questions about the JATENZO Savings Card offer should call **773-756-5798**.

Pharmacist: When you apply this offer, you are certifying that you have not submitted a claim for reimbursement under any federal, state, or other governmental programs for this prescription. Participation in this program must comply with all applicable laws and regulations as a pharmacy provider. By participating in this program, you are certifying that you will comply with the terms and conditions described in the Restrictions section below.

Pharmacist Instructions for a Patient with an Eligible Third Party: Submit the claim to the primary Third-Party Payer first, then submit the balance due to PDMI as a Secondary Payer COB (coordination of benefits) with patient responsibility amount and a valid Other Coverage Code, (e.g., 8). The patient is responsible for as little as \$0 for their monthly prescriptions. Reimbursement will be received from **PDMI**. Valid Other Coverage Code required. For any questions regarding PDMI online processing, please call the Help Desk at **316-219-4802**.

Restrictions: This offer is valid in the United States and Puerto Rico. Offer not valid for prescriptions reimbursed under Medicaid, a Medicare drug benefit plan, TRICARE, or other federal or state health programs (such as medical assistance programs). Cash discount cards and other noninsurance plans are not valid as primary under this offer. If the patient is eligible for drug benefits under any such program, the patient cannot use this offer. By using this offer, the patient certifies that he will comply with any terms of his health insurance contract requiring notification to his payer of the existence and/or value of this offer. Offer not valid for patients under 18 years of age. It is illegal to (or offer to) sell, purchase, or trade this offer. This offer is not transferable and is limited to one offer per person. Not valid if reproduced. Void where prohibited by law. Tolmar reserves the right to rescind, revoke, or amend this offer without notice at any time. All information is correct at time of printing and is subject to change without notice.

ORAL

JATENZO®
(testosterone undecanoate)
Capsules 

LEARN MORE [Jatenzo.com](https://www.jatenzo.com)

ORAL

JATENZO®
(testosterone undecanoate)
Capsules 



WHERE YOUR DOCTOR SENDS YOUR PRESCRIPTION MATTERS!

**PAY AS
LITTLE AS** **\$0**

**FOR YOUR MONTHLY
PRESCRIPTION***

Provide this information to
pharmacy to receive copay offer

RxBIN: 610020

PCN: ACR

Group: 99995028

Identification: 42435701301

JATENZO®
(testosterone undecanoate)
Capsules 

*Eligible patients with
commercial insurance
pay as little as \$0 per
month for JATENZO®

For full Terms, Conditions & Restrictions, visit [jatenzo.com](https://www.jatenzo.com)

FOR ADDITIONAL COPAY ASSISTANCE

Ask your doctor to send your JATENZO®
prescription through one of our
network pharmacies.

With approved commercial
insurance **you may pay as little as**

\$0*

If commercial insurance
rejects coverage, **you may pay**

\$150*



LEARN MORE
[Jatenzo.com](https://www.jatenzo.com)

* Restrictions may apply, See copay terms, conditions and restrictions
on inside back cover.

**Please see full Prescribing Information, including Medication
Guide in pocket or visit [Jatenzo.com](https://www.jatenzo.com).**

© 2026 Tolmar, Inc. All rights reserved. Tolmar, JATENZO and their associated
logos are trademarks of th Tolmar group. Third-party trademarks and product
names belong to their respective owners. TPI.2026.eng.5523.v1 03/26

